

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name **Interflon Food Grease HD00**
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Scope lubricant

1.3 Details of the supplier of the safety data sheet

Interflon BV
Belder 47
4704 RK Roosendaal
Netherlands

Telephone: +31 (0)165 553911
e-mail: Service@interflon.com
Website: www.interflon.com

e-mail (competent person) Service@interflon.com (Service lab)

1.4 Emergency telephone number

+31 (0)165 55 39 11 (Monday to Friday from 8:30am to 17:00pm).

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word. not required

- Pictograms not required

- Supplemental hazard information

EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards

Special danger of slipping by leaking/spilling product. This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB. Ce produit ne contient pas «substances extrêmement préoccupantes» (SVHC) qui sont très dangereux pour la santé humaine ou l'environnement. (SVHC <0,1% (g/g) Règlement (CE) n° 1907/2006 (REACH), article 57).

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Product description

Mixture of mineral and synthetic oils, thickener, additives and Micpol®

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Sulfonic acids, petroleum, calcium salts	CAS No 61789-86-4 EC No 263-093-9 REACH Reg. No 01-2119488992-18-xxxx	5 – < 10	Skin Sens. 1B / H317	
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	CAS No 68584-23-6 EC No 271-529-4 REACH Reg. No 01-2119492627-25-xxxx	5 – < 10	Skin Sens. 1B / H317	
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	CAS No 70024-69-0 EC No 274-263-7 REACH Reg. No 01-2119492616-28-xxxx	5 – < 10	Acute Tox. 4 / H332	
Calcium dodecylbenzenesulphonate	CAS No 26264-06-2 EC No 247-557-8 REACH Reg. No 01-2120122335-68-xxxx	1 – < 5	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 4 / H413	
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	CAS No 68411-46-1 EC No 270-128-1 REACH Reg. No 01-2119491299-23-0002	1 – < 5	Aquatic Chronic 3 / H412	

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

SECTION 4: First aid measures**4.1 Description of first aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media

Water mist, Fire extinguishing powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Use suitable breathing apparatus.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink.

7.2 Conditions for safe storage, including any incompatibilities

Conditions of storage

Store in accordance with local/regional/national/international regulations. Keep container tightly closed and in a well-ventilated place.

Managing of associated risks

- Flammability hazards

Keep in a cool place.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	DNEL	11.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Interflon Food Grease HD00

Version number:

25.02.2021

Revision: 2021-08-23

7.2

Replaces version: (6)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sulfonic acids, petroleum, calcium salts	61789-86-4	DNEL	11.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Sulfonic acids, petroleum, calcium salts	61789-86-4	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	DNEL	11.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Calcium dodecylbenzenesulphonate	26264-06-2	DNEL	52 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Calcium dodecylbenzenesulphonate	26264-06-2	DNEL	52 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Calcium dodecylbenzenesulphonate	26264-06-2	DNEL	52 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Calcium dodecylbenzenesulphonate	26264-06-2	DNEL	52 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Calcium dodecylbenzenesulphonate	26264-06-2	DNEL	57.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Calcium dodecylbenzenesulphonate	26264-06-2	DNEL	80 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	68411-46-1	DNEL	0.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	68411-46-1	DNEL	0.08 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

Interflon Food Grease HD00

Version number:

25.02.2021

Revision: 2021-08-23

7.2

Replaces version: (6)

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	226,000,000 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	226,000,000 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	PNEC	271,000,000 mg/kg	terrestrial organisms	soil	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	226,000,000 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	226,000,000 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sulfonic acids, petroleum, calcium salts	61789-86-4	PNEC	271,000,000 mg/kg	terrestrial organisms	soil	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	1 mg/l	aquatic organisms	marine water	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	1,000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	226,000,000 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	226,000,000 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	PNEC	271,000,000 mg/kg	terrestrial organisms	soil	short-term (single instance)
Calcium dodecylbenzenesulphonate	26264-06-2	PNEC	0.28 mg/l	aquatic organisms	freshwater	short-term (single instance)
Calcium dodecylbenzenesulphonate	26264-06-2	PNEC	0.458 mg/l	aquatic organisms	marine water	short-term (single instance)
Calcium dodecylbenzenesulphonate	26264-06-2	PNEC	50 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

Interflon Food Grease HD00

Version number:

25.02.2021

Revision: 2021-08-23

7.2

Replaces version: (6)

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Calcium dodecylbenzenesulphonate	26264-06-2	PNEC	27.5 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Calcium dodecylbenzenesulphonate	26264-06-2	PNEC	2.75 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Calcium dodecylbenzenesulphonate	26264-06-2	PNEC	25 mg/kg	terrestrial organisms	soil	short-term (single instance)
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	68411-46-1	PNEC	0.034 mg/l	aquatic organisms	freshwater	short-term (single instance)
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	68411-46-1	PNEC	0.003 mg/l	aquatic organisms	marine water	short-term (single instance)
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	68411-46-1	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	68411-46-1	PNEC	0.446 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	68411-46-1	PNEC	0.045 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
benzeenamine, N-fenyl-, reactieproducten met 2,4,4-trimethylpenteen	68411-46-1	PNEC	1.76 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

General safety precautions

Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with skin and eyes.

Keep away from food, drink and animal feedingstuffs. Do not breathe gas/vapour/spray. Wash hands after use.

Individual protection measures (personal protective equipment)

Eye/face protection

Use protective eyewear to guard against splash of liquids.

Skin protection

- Hand protection

Not required.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

Respiratory protection

Not required.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid (paste)
Colour	light brown
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	>210 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

Density	0.9 g/cm ³
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed or if inhaled.

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	inhalation: vapour	11 mg/l/4h
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	inhalation: dust/mist	>1.9 mg/l/4h
Calcium dodecylbenzenesulphonate	26264-06-2	oral	1,300 mg/kg

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

Interflon Food Grease HD00**Version number:**

7.2

25.02.2021

Revision: 2021-08-23

Replaces version: (6)

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes

- Product

20 01 26* oil and fat other than those mentioned in 20 01 25

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	There is no additional information.
14.7 Maritime transport in bulk according to IMO instruments	The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information**

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU) Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Sulfonic acids, petroleum, calcium salts	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

Legend

- R3
- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 - Articles not complying with paragraph 1 shall not be placed on the market.
 - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
 - Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 - Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
 - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
 - No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
 - Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	all ingredients are listed or exempt from listing
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.4	Emergency telephone number	Emergency telephone number: +31 (0)165 55 39 11 (Monday to Friday from 8:30am to 17:00pm).	yes
1.4		Poison centre: change in the listing (table)	yes
2.3	Other hazards: Special danger of slipping by leaking/spilling product. There is no additional information.	Other hazards: Special danger of slipping by leaking/spilling product. This mixture does not contain any sub- stances that are assessed to be a PBT or a vPvB.	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. Ce produit ne contient pas «substances extrêmement préoccupantes» (SVHC) qui sont très dangereux pour la santé humaine ou l'environnement. (SVHC <0,1% (g/g) Règlement (CE) n° 1907/2006 (REACH), article 57).	yes
3.2	Product description: Mixture of mineral and synthetic oils, thickener, additives and Micpol®		yes
3.2	Hazardous ingredients		yes

Interflon Food Grease HD00

Version number:

7.2

Replaces version: (6)

25.02.2021

Revision: 2021-08-23

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
3.2		Product description: Mixture of mineral and synthetic oils, thickener, additives and Micpol®	yes
3.2		Product description: change in the listing (table)	yes
4.1	Following skin contact: Wash with plenty of soap and water.	Following skin contact: If skin irritation or rash occurs: Get medical advice/attention.	yes
5.1	Suitable extinguishing media: Water spray, BC-powder, Carbon dioxide (CO ₂)	Suitable extinguishing media: Water mist, Fire extinguishing powder, Carbon dioxide (CO ₂)	yes
5.3	Advice for firefighters: In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.	Advice for firefighters: In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance. Use suitable breathing apparatus.	yes
7.1	Advice on general occupational hygiene: Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.	Advice on general occupational hygiene: Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink.	yes
7.2	- Flammability hazards: Do not expose to temperatures exceeding 50 °C/ 122 °F.	- Flammability hazards: Keep in a cool place.	yes
8.1	Control parameters: no data available	Control parameters	yes
8.2	General safety precautions: Use only in well-ventilated areas. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. Do not eat, drink and smoke in work areas.	General safety precautions: Use only in well-ventilated areas. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. Keep away from food, drink and animal feedingstuffs. Do not breathe gas/vapour/spray. Wash hands after use.	yes
8.2	Eye/face protection: Wear eye/face protection. Use safety goggle with side protection.	Eye/face protection: Use protective eyewear to guard against splash of liquids.	yes
9.1	Appearance		yes
9.1	Odour: faintly perceptible	Odour: odourless	yes
9.1	Other safety parameters		yes
9.1	Flammability (solid, gas): not relevant, (fluid)	Flammability: non-combustible	yes
9.1	Evaporation rate: not determined		yes

Interflon Food Grease HD00

Version number:
7.2
Replaces version: (6)

25.02.2021

Revision: 2021-08-23

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: not determined	yes
9.1		Density and/or relative density	yes
9.1	Density: 0.94 g/cm ³	Density: 0.9 g/cm ³	yes
9.1	Vapour density: this information is not available		yes
9.1	Viscosity		yes
9.1	Dynamic viscosity: 9,000 mPa s at 20 °C		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1		Relative vapour density: information on this property is not available	yes
9.1		Particle characteristics: not relevant (liquid)	yes
9.2	other information: there is no additional information	Other information	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2		Other safety characteristics: there is no additional information	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.2		Information on other hazards: There is no additional information.	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.4	Packing group: not assigned to a packing group	Packing group: not assigned	yes
15.1	Deco-Paint Directive (2004/42/EC)		yes
15.1	VOC content: 63.46 %		yes
15.1	VOC content: 64.75 %	VOC content: 0 %	yes
15.1		Regulation on persistent organic pollutants (POP): None of the ingredients are listed.	yes

Interflon Food Grease HD00

Version number:

25.02.2021

Revision: 2021-08-23

7.2

Replaces version: (6)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
16		Abbreviations and acronyms: change in the listing (table)	yes
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU. Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU. Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

Interflon Food Grease HD00**Version number:**

7.2

Replaces version: (6)

25.02.2021

Revision: 2021-08-23

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.