

Technical Data Sheet

Interflon Fin Clean All²

Deep cleaning alkaline label-free cleaner with "1001" applications

Versatile, highly alkaline, label-free deep enzymatic cleaner with F-Active Technology for a wide range of applications. Highly concentrated, very effective and very economical to use (dilutable up to 1:200). Suitable for use in the pharmaceutical, food & drink and other industries.

Interflon Fin Clean All² is included in the list by the NSF for use in the food processing industry as a general cleaner (Cat. Code A1) with registration number 158201.

In addition Interflon Fin Clean All² also has been shown to have virucidal activity against enveloped viruses. The product has been tested according to NF EN14476:2013 + A2: 2019.

Application

Ideal universal cleaner for almost all applications, such as cleaning machines, floors and walls, etc., also in the food processing and pharmaceutical industries. Suitable for cleaning both the outside and inside of vehicles. Also suitable for removing transport wax.

Advantages

- ⊕ Leaves no residue after rinsing
- ⊕ Economical in use
- ⊕ Biodegradable
- ⊕ Contains renewable raw materials
- ⊕ Supplied as a concentrate
- ⊕ Halal, kosher
- ⊕ Does not contain NTA, EDTA
- ⊕ No hazard pictograms (label-free)
- ⊕ Not ADR classified
- ⊕ Light anti-corrosive properties

Instructions for use

Depending on the application, apply Interflon Fin Clean All² concentrated or diluted to 1:200 (see page 3 of the Technical Data Sheet for an overview of dilutions). Allow the product to work, then clean the surface with a brush, sponge or cloth. Do not allow the surface to dry because under certain circumstances a grey residue is left behind. Rinse with water. It is advisable to test the cleaner in an inconspicuous area to ensure that the cleaner does not damage the surface to be cleaned.

Apply the cleaner to vertical surfaces from bottom to top with overlaps to prevent dripping traces. To clean / remove dirt, work from top to bottom to avoid streaks.

Before cleaning with Interflon Fin Clean All² in the food processing industry, remove or cover all food products and packaging. After cleaning in the food processing industry, rinsing with drinking water is required. Never allow the product to dry and never process it in direct sunlight.

Property	Result	Method
Composition	Mixture of surface active substances, enzymes and water.	
Colour	Yellowish	
Odour	Characteristic	
Maximum application temperature	70°C	
pH 100% @ 20°C	10.6 – 11.4	
Biodegradability	> 60%	OECD 301D
Shelf life*	2 years	

* Shelf life of the product when stored at room temperature in the original and unopened packaging.

Technical Data Sheet

Interflon Fin Clean All²

Deep cleaning alkaline label-free cleaner with "1001" applications

Application table

Applications	Interflon Fin Clean All ²	Applications	Interflon Fin Clean All ²
Floors general	1:50 - 1:200	Outdoor cleaning	
Workshop floors	1:3 - 1:50	General	1:5 - 1:100
Doors	1:20 - 1:200	Cabin	1:5 - 1:100
Tables	1:20 - 1:200	Chassis	1:5 - 1:100
Walls	1:20 - 1:200	Tarpaulins	1:5 - 1:100
Windows	1:20 - 1:200	Aluminium	1:5 - 1:100
Carpets	conc. - 1:20	Prevents algal deposits*	1:10
Steel and iron parts	1:5 - 1:100	Facade frames	1:10 – 1:15
Aluminium	1:5 - 1:100	Subfloor	1:5 - 1:100
Non-ferrous metal	1:10- 1:100	Insect remover	1:10
Fly rust remover	1:10- 1:100	Trams	1:5 - 1:50
Cleaner for metal-washing equipment	1:3- 1:100	Construction machinery	1:5 - 1:10
E.g. Bubi Cleaner		Containers	1:5 - 1:50
Ultrasonic cleaning	1:10 – 1:50	Agricultural machines	1:5 – 1:20
		Grass-maize-beet juice	1:5 - 1:15
Sanitary cleaning		Vegetable and fruit juice	1:10 – 1:15
Floor and wall tiles etc.	1:50-1:100	Caravans	1:5 - 1:50
with disinfection and limescale removal			
Lime, urine and limescale removal		Outdoor cleaning	
		General	1:100
Car wash		Nicotine cleaner	Conc. – 1:10
Tile cleaning	1:50-1:100	Glass cleaner	1:1000
Outdoor repellent		Cold cleaner	1:3 – 1:100
Brush washers	1:5 - 1:50	Removal of preservative wax	1:3
		Vehicles	
		Rims, engine	1:5 – 1:15
		Bodywork	1:10 – 1:30
		Engine	1:10 – 1:30
		Windows	1:70
		Snow chains	

This information is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application. Any existing industrial property rights must be observed. The quality of our products is guaranteed under our General Conditions of Sale. Interflon® is a registered trademark of Interflon BV. Typical properties are typical of those obtained with normal production tolerance and do not constitute a specification. Variations that do not affect product performance are to be expected during normal manufacture. The information contained herein is subject to change without notice.